




HELIOSA[®]9

SERIE

HEAT WITHOUT LIGHT


Blueapp



EXPORT DISTRIBUTOR PRICE-LIST 2018



HELIOSA 9

CODE 9S22

- Model for wall installation, at ceiling and on mobile support
- Aluminium case
- Silver colour
- Recommended wall installation height 2,70/3,00 m
- Dimensions: 46,5x19,5x11,3 cm
- Packing: 64x27x19 cm
- Net weight: 2,45 kg
- Gross weight: 3,50 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
9S22	106303	2200	X5	Amber Light				5 m	X	wall installation and on mobile support	for wall installation at 45° on mobile support	20/25	€ 255,37



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 24 sq. m.*

Code	A (height)	B (depth)	C (width)
9S22	2,70 m	4 m	6 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.



HELIOSA 9.1

CODE 9/1S20W

- WHITE SCREEN GLASS
- Model for wall installation, at ceiling and on mobile support
- Aluminium case
- Silver colour
- Recommended wall installation height 2,70/3,00 m
- Dimensions: 46,5x19,5x12 cm
- Packing: 64x27x19 cm
- Net weight: 2,73 kg
- Gross weight: 3,78 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
9/1S20W	106310	2000	X5	Amber Light	X			5 m	X	wall installation and on mobile support	for wall installation at 45° on mobile support	20/25	€ 412,40



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



White screen glass <100 LUX



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 22,5 sq. m.*

Code	A (height)	B (depth)	C (width)
9/1S20W	2,50/2,70 m	4,50 m	5 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

4

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.



HELIOSA 9.2

CODE 9/2S22BT

- BLUETOOTH
- REMOTE CONTROLLER
- ON/OFF SWITCH
- Model for wall installation, at ceiling and on mobile support
- Aluminium case
- Silver colour
- Recommended wall installation height 2,70/3,00 m
- Dimensions: 54x19x5x11,3 cm
- Packing: 64x27x19 cm
- Net weight: 3,17 kg
- Gross weight: 4,22 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
9/2S22BT	106327	2200	X5	Amber Light		X	X	5 m	X	wall installation and on mobile support	for wall installation at 45° on mobile support	20/25	€ 610,74



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



Bluetooth technologies



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 24 sq. m.*

Code	A (height)	B (depth)	C (width)
9/2S22BT	2,70 m	4 m	6 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

HELIOSA 9.3

CODE 9/3S20BTW

- BLUETOOTH
- WHITE SCREEN
- TELECOMANDO
- INTERRUOTTORE ON/OFF
- Model for wall installation, at ceiling and on mobile support
- Aluminium case
- Silver colour
- Recommended wall installation height 2,70/3,00 m
- Dimensions: 54x19,5x12 cm
- Packing: 64x27x19 cm
- Net weight: 3,45 kg
- Gross weight: 4,50 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
9/3S20BTW	106334	2000	X5	Amber Light	X	X	X	5 m	X	wall installation and on mobile support	for wall installation at 45° on mobile support	20/25	€ 767,77



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



White screen glass <100 LUX



Bluetooth technologies



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 22,5 sq. m.*

Code	A (height)	B (depth)	C (width)
9/3S20BTW	2,50/2,70 m	4,50 m	5 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

6

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

HELIOSA 99

CODE 99S40

- Model for wall installation
- Aluminium case
- Silver colour
- Recommended wall installation height 3,00/3,50 m
- Dimensions: 91x19,5x11,3 cm
- Packing: 100,7x27x19 cm
- Net weight: 4,05 kg
- Gross weight: 5,55 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
99S40	106358	4000	X5	Amber Light				no. 2 1,5 m		wall installation	for wall installation at 45°	40/45	€ 437,19



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 44 sq. m.*

Code	A (height)	B (depth)	C (width)
99S40	3,40 m	5,50 m	8 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

HELIOSA 99.1

CODE 99/1S40W

• **WHITE SCREEN GLASS**

- Model for wall installation
- Aluminium case
- Silver colour
- Recommended wall installation height 3,00/3,50 m
- Dimensions: 91x19,5x12 cm
- Packing: 100,7x27x19 cm
- Net weight: 4,65 kg
- Gross weight: 6,15 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
99/1S40W	106365	4000	X5	Amber Light	X			no. 2 1,5 m		wall installation	for wall installation at 45°	40/45	€ 767,86



Special bulb reducing the light output by 80%



Protection rating **WATERPROOF** protected against rain and water jets (STAR PROGETTI PATENT)



White screen glass <100 LUX



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 40 sq. m.*

Code	A (height)	B (depth)	C (width)
99/1S40W	3,40 m	5 m	8 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

8

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

HELIOSA 99.2

CODE 99/2S40BT

- BLUETOOTH
- REMOTE CONTROLLER
- ON/OFF SWITCH
- Model for wall installation
- Aluminium case
- Silver colour
- Recommended wall installation height 3,00/3,50 m
- Dimensions: 99x19,5x11,3 cm
- Packing: 100,7x27x19 cm
- Net weight: 4,90 kg
- Gross weight: 6,40 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
99/2S40BT	106372	4000	X5	Amber Light		X	X	no. 1 1,5 m		wall installation	for wall installation at 45°	40/45	€ 767,77



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



Bluetooth technologies



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 44 sq. m.*

Code	A (height)	B (depth)	C (width)
99/2S40BT	3,40 m	5,50 m	8 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

HELIOSA 99.3

CODE 99/3S40BTW

- BLUETOOTH
- WHITE SCREEN GLASS
- REMOTE CONTROLLER
- ON/OFF SWITCH
- Model for wall installation
- Aluminium case
- Silver colour
- Recommended wall installation height 3,00/3,50 m
- Dimensions: 99x19,5x12 cm
- Packing: 100,7x27x19 cm
- Net weight: 5,50 kg
- Gross weight: 7,00 kg



Code	Barcode	Power (W)	IP	Bulb	White Screen	Bluetooth	Remote controller	Cable	Schuko plug	Bracket	Installation	Heated area approx	Unit price
99/3S40BTW	106389	4000	X5	Amber Light	X	X	X	no. 1 1,5 m		wall installation	for wall installation at 45°	40/45	€ 1007,44



Special bulb reducing the light output by 80%



Protection rating WATERPROOF protected against rain and water jets (STAR PROGETTI PATENT)



White screen glass <100 LUX



Bluetooth technologies



THERMAL TEST

- Room temperature 12° C
- Installation at 45°
- Comfort zone approx. 40 sq. m.*

Code	A (height)	B (depth)	C (width)
99/3S40BTW	3,40 m	5 m	8 m

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.

10

*The range test data may vary according to installation height, environmental conditions and synergic relations established between installed heaters. With regard to synergy, heating results may be considerably higher.

	Code	Barcode	Description	Power	Unit price
	STAR7	106648	STAR BLUEAPP BOX <ul style="list-style-type: none"> • Heat Controller: 0%-100% • Wall mounted • Has two control options: from smartphone or tablet with dedicated application Blueapp; from infrared remote control • Led RGB • Waterproof: IP65 for outdoors • Dimensions: 19,5x12x6,5 cm 	from 0 to 4400 Watt	€ 329,75
	STAR6	104859	HEAT CONTROLLER STAR6 <ul style="list-style-type: none"> • 100% adjustable • Wall mounted • Remote control 3 channels included • 3 present channels (zones) for 3 heat controllers • Waterproof IP54 • Dimensions: 19x21x8 cm 	from 0 to 6000 Watt	€ 508,26
	ST13	102473	PRESENCE DETECTOR FOR AUTHOMATIC LIGHTING <ul style="list-style-type: none"> • Dimensions: 15x15x8 cm • Colour: black 	3000 Watt (max)	€ 57,02
	206S/1	105030	WIRELESS REMOTE CONTROL SWITCH IP44 <ul style="list-style-type: none"> • Wireless Remote Control Switch for one heater • To be plugged in a wall socket, equipped with remote control • Action ray 25 m without obstacles 	3600 Watt (max)	€ 61,98

Heliosa serie 9 price List - n. 06.2018 validity until 31.12.2018 - errors excepted.